



10451 ROSELLE STREET, #300, SAN DIEGO, CA 92121
TELEPHONE (858) 642-1988 • FAX (858) 642-1989
WWW.ATSBIO.COM • ATS@ATSBIO.COM

Biotinylated Antibody to Human CD8
MOUSE MONOCLONAL

Catalog Number: AB-429
Quantity: 500 micrograms
Format: Lyophilized
Host: Mouse
Isotype: IgG2a
Clone: hCD8
Immunogen: Purified human PBL CD8+ T cells

Background:

CD8 is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediates efficient cell-cell interactions within the immune system. CD8 acts as a co-receptor, and the T-cell receptor on the T lymphocyte recognize antigen displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. The functional CD8 is either a homodimer composed of two alpha chains, or a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains. CD8 identifies cytotoxic/suppressor t-cells that interact with MHC class I bearing targets. CD8 is thought to play a role in the process of t-cell mediated killing. CD8 alpha chains binds to class-I MHC molecules alpha-3 domains.

Specificity and Preparation:

Mouse Anti-Human CD8 is conjugated to biotin. Purified by ion exchange column. Protein concentration is 1 mg/ml in PBS (after reconstitution).

Usage and Storage:

Applications include staining antibody, weakly cytotoxic. For staining, use 10 μ l/10⁶ cells. Titer for cytotoxicity should be determined by the investigator.

Reconstitute with H₂O. Mix gently, wash the sides of the vial and wait 30-60 seconds before use.

Store lyophilized material at 4°C. After reconstitution, if not intended for use within a month, aliquot and store at -20°C. Material is stable for two years lyophilized, one month in solution at 4°C.