

Biotin-labeled Antibody to Human CD8 MOUSE MONOCLONAL

Catalog Number: PRP-134ANT
Quantity: 500 micrograms
Format: Lyophilized
Host: Mouse
Isotype: IgG2a
Clone: hCD8

Immunogen: Purified human PBL CD8+ T cells

Background: CD8 is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediates efficient cell-cell interactions within the immune system. CD8 acts as a co-receptor, and the T-cell receptor on the T lymphocyte recognizes antigen displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. The functional CD8 is either a homodimer composed of two alpha chains, or a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains. CD8 identifies cytotoxic/suppressor t-cells that interact with MHC class I bearing targets. CD8 is thought to play a role in the process of t-cell mediated killing. CD8 alpha chains binds to class-I MHC molecules alpha-3 domains.

Specificity & Preparation: Mouse anti-human CD8 is conjugated to biotin and purified over an ion exchange column. Protein concentration is 1 mg/ml in PBS (after reconstitution).

Usage: Reported to be effective for flow cytometry ($10 \mu l/10^6$ cells) and is also weakly cytotoxic. Titer for cytotoxicity should be determined by the investigator.

Storage: Reconstitute with H2O. Gently spin down material 5-10 seconds in a microfuge before use. Store lyophilized material at 4°C. After reconstitution, if not intended for use within a month, aliquot and store at -20°C. Material is stable for two years lyophilized, one month in solution at 4°C.

To view protocol(s) for this and other products please visit: www.ATSbio.com/library/protocols